

SPRAY IT ON HORSES • DOGS

For the effective treatment of FUNGUS INFECTIONS, RINGWORM, SURFACE WOUNDS, CUTS, GALLS, HOOFF-FOOT and PAD SORES, CHAFES, ABRASIONS, MOIST OR SCABBY LESIONS, ITCHY FUNGUS ECZEMA and SORES.

BLU-KOTE® is a germicidal, fungicidal wound dressing and healing aid effective against both bacterial and fungus infections most common in skin lesions of domestic animals. Kills Ringworm and fungus infections. Dries up blisters and pox-like scabby sores or lesions.

"Instant Medication"
Quick Drying — Long Acting
Deep Penetrating

Made in U.S.A.
Spec. 5040



Dr. Naylor

BLU-KOTE

Veterinary
Antiseptic — Protective
Wound Dressing

Germicidal • Fungicidal

Active Ingredients: Sodium Propionate 9.1%, Gentian Violet 1%, Acriflavine 0.15%, in a special base of Water, Urea, Glycerine, Isopropyl Alcohol 32% by volume.

Net Weight 5 oz. (142 grams)

DANGER: EXTREMELY FLAMMABLE

H. W. NAYLOR CO., INC.
Morris, N.Y. 13808
U.S.A.

Directions: Clean and dry affected area thoroughly before spraying. Scrub and remove scale and scab on Ringworm before first application. Shake well. Remove protective cap. Hold upright. Point nozzle opening toward lesion and spray from a distance of 4-8 inches. Only a light application is needed. Repeat once or twice a day or as indicated until healing occurs.

Caution: For external veterinary use only. In case of serious burns, deep or puncture wounds, or if redness, irritation or swelling persists or increases, discontinue use and consult veterinarian. Keep away from eyes, mouth, nostrils, and mucous membranes. Do not spray in eyes. Do not inhale. **DO NOT USE ON CATS. PREVENT DOGS FROM LICKING TREATED AREAS.**

Warning: Contents under pressure. Do not puncture. Do not store or use near heat or open flame. Exposure to temperatures above 130F may cause bursting. Never throw container into fire or incinerator. **BLU-KOTE® STAINS, WET OR DRY.**

**NOT FOR USE ON
HORSES INTENDED FOR FOOD.
FOR ANIMAL USE ONLY
KEEP FROM
REACH OF CHILDREN
USE ONLY AS DIRECTED**