

West Nile-Innovator®+EWT

Zoetis

Encephalomyelitis-West Nile Virus Vaccine

Eastern & Western, Killed Virus

Tetanus Toxoid

INDICATIONS: For vaccination of healthy horses 10 months of age or older as an aid in the prevention of viremia caused by West Nile virus, and as an aid in the prevention of equine encephalomyelitis due to Eastern and Western viruses, and tetanus.

EFFICACY: Efficacy of the West Nile fraction was demonstrated in 10-month-old horses that received two doses of the vaccine and were challenged one year post-vaccination with West Nile virus. The vaccine protected 95% of the vaccinates against viremia, while 82% of the controls were viremic.

SAFETY: Field safety testing has demonstrated that this product is safe for use in horses 3 months of age or older. Efficacy has not been established in foals 3 months of age.

DOSE: Horses, inject one 1 mL dose intramuscularly using aseptic technique. Administer a second 1 mL dose 3 to 4 weeks after the first dose. A 1 mL booster dose should be given annually. Early revaccination may be advisable when horses are faced with an outbreak or with other conditions which might make heavy exposure likely.

CAUTION: Store in the dark at 2° to 7°C (35° to 45°F). AVOID FREEZING. SHAKE WELL. Use entire contents when first opened. In some instances, transient local reactions may occur at the injection site. Do not vaccinate within 21 days before slaughter. In case of anaphylactoid reaction, administer epinephrine.

Thimerosal, neomycin and polymyxin B added as preservatives.

For Veterinary Use Only

Remove serial number and expiration date label and place on the animal's medical chart.

U.S. Vet. License No. 190

Zoetis Inc., Kalamazoo, MI 49007, USA

1 mL	1 Dose	50024400
10 mL	10 Doses	50024100

CPN: 3690344.4