PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS:

CAUTION: For use on animals only. Not for use on humans. Harmful if swallowed. Causes moderate eye irritation. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove contaminated clothing and wash clothing before reuse.

FIRST AID

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For additional information (including health concerns, medical emergencies or pesticide incidents), you may call 1-800-222-1222, twenty-four (24) hours per day, seven (7) days per week.

IF SWALLOWED:

- Call a poison control center or doctor immediately for treatment advice.
- Have person sip a glass of water if able to swallow.
- · Do not induce vomiting unless told to do so by a poison control center or doctor.
- · Do not give anything by mouth to an unconscious person.

IF IN EYES:

· Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes.

- then continue rinsing eve.
- Call a poison control center or doctor for treatment advice.

IF ON SKIN OR CLOTHING:

- · Take off contaminated clothing.
- · Rinse skin immediately with plenty of water for 15-20 minutes.
- Call a poison control center or doctor for treatment advice.

ENVIRONMENTAL HAZARDS

This product is extremely toxic to fish. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area.





Permethrin:***	0.50%
Pyrethrins:	0.25%
Piperonyl Butoxide:*	2.50%
THER INGREDIENTS:	96.75%
OTAL:	. 100.00%

*(butylcarbityl)(6-propylpiperonyl) ether and related compounds

3-(2.2-dichloroethenyl) 2,2-dimethylcyclopropanecarboxylate tcis/trans ratio: min 35% (±) cis and max 65% (±) trans

CAUTION

SEE SIDE PANELS FOR ADDITIONAL PRECAUTIONARY STATEMENTS

KILLS & REPELS

Deer Flies Horse Flies Face Flies

Mosquitoes Horn Flies Gnats Fleas Ticks Lice

Kills deer ticks that may carry Lyme Disease

DIRECTIONS FOR USE:

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

RESTRICTIONS:

· Apply only as specified on this label.

Stable Flies

House Flies

Bot Flies

- Except when applying directly to animals, do not allow adults, children or pets to enter the treated area
- · Except when applying directly to animals, do not apply this product in a way that will contact adults, children or pets directly or through drift.
- Remove or cover exposed food and drinking water before application.
- · Remove or cover dishes, utensils, food processing equipment and food preparation surfaces or wash
- Application is prohibited directly into sewers or drains or into any area like a gutter where drainage to sewers, storm drains, water bodies or aquatic habitat can occur. Do not allow the product to enter any drain during or after application.
- Not for use in outdoor residential misting systems.

STOP: READ ENTIRE LABEL BEFORE EACH USE. DO NOT USE ON DOGS OR CATS OR OTHER ANIMALS OTHER THAN HORSES. DO NOT USE ON HORSES INTENDED FOR HUMAN CONSUMPTION. DO NOT USE ON FOALS UNDER THREE (3) MONTHS OF AGE.

FOR USE ON HORSES. USE FULL STRENGTH:

This non-oily insecticide/repellent may be applied with a spray application or as a wipe.

DIRECTIONS FOR WIPE-ON USE:

Thoroughly brush horse to remove excess dirt and dust. Extremely dirty horses should be shampooed, rinsed and allowed to dry before applying wipe. Use a sponge or clean soft cloth or mitt. Apply liberally (1-2 ounces) over areas to be protected. Pay special attention to legs, belly, shoulders, neck and facial areas. Avoid eyes and

DIRECTIONS FOR SPRAY USE:

Remove excess dirt and dust. Apply 1-2 ounce as a light spray mist to coat while brushing lightly against lay of the hair. Avoid spray in eyes and mucous membranes. Apply with sponge or soft cloth to those areas. Reapply in 10-14 days or as needed to maintain control. Reapply after animal is washed, has had excessive sweating or if

STORAGE & DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

Storage: Store in a cool, dry place.

Disposal: If empty: Non-refillable container. Do not reuse or refill this container. Place in trash or offer for recycling if available.

If partly filled: Call your local solid waste agency or 1-800-CLEANUP for disposal instructions.

Never place unused product down any indoor or outdoor drain.

Manufactured Exclusively for:

PYRANHA INCORPORATED

6602 Cunningham Road • Houston, Texas 77041 Phone: 800-231-2966 • Fax: 832-467-3864 www.pyranhainc.com

EPA Reg. No. 21165-33 FPA Fst. No. 47758-TX-1



