TREBUTE®

ESSENTIAL K®

A supplement to balance rations for idle, breeding, growing & performance horses.

PRODUCT CODE: 928EK

- Low Feeding Rate: A dense nutrient concentration and low calorie pellet makes it a low cost method of supplying the most critical nutrients.
- Low NSC may be beneficial for hyperactive or special needs horses, such as those with insulin resistance, laminitis, obesity or tying-up.
- Optimal balance of essential amino acids for growth and muscle maintenance.
- Organic minerals support normal bone and tissue growth, reproduction, and immune health.
- Optimum levels of antioxidants Vitamin E, Vitamin C and Selenium may help in reducing damage from aging and exercise. Also supports immune health.
- Fortified with biotin to support healthy hoof growth and strength.
- With microencapsulated active dry yeast; acts as both a pre- and probiotic to increase total diet digestibility and improve overall gut health.

FEEDING DIRECTIONS:

I EEDING DIREGING:				
Life Stage – Growing		Essential K®		
Body Weight, lb		lb per day		
300		2.0		
400		2.5		
500		3.0		
600		3.0		
700		3.0		
800		3.0		
900			3.0	
Life Stage – Reproduction	Body w	eight, lb	Essential K [®] 1b per day	
Open Mare	1100		1.0 - 2.0	
Pregnant Mare	1100		2.5 - 3.0	
Nursing Mare, First 3 Months	1100		3.0 - 4.0	
Nursing Mare, Second 3 Months	1100		2.5 - 3.0	
Life Stage - Mature	Body weight, lb		Essential K [®] lb per day	
Idle	1100		1.0 - 2.0	
Light	1100		2.0 - 2.5	
Moderate	1100		2.5 - 3.0	
Heavy	1100		3.0 - 3.5	
Intense	1100		3.0 - 3.5	

GUARANTEED ANALYSIS:

Crude Protein (Min)
Lysine (Min) 2.20%
Methionine (Min)
Methionine & Cystine (Min)
Threonine (Min)
Crude Fat (Min)
Crude Fiber (Max)
Calcium (Ca) (Min)
Calcium (Ca) (Max)
Phosphorus (P) (Min)
Salt (NaCl) (Min)
Salt (NaCl) (Max)
Potassium (K) (Min)
Magnesium (Mg) (Min)
Copper (Cu) (Min)
Zinc (Zn) (Min)
Manganese (Mn) (Min)
Cobalt (Co) (Min)
Iron (Fe) (Min)
Iodine (I) (Min)
Selenium (Se) (Min)
Vitamin A (Min)
Vitamin D (Min)
Vitamin E (Min)
Vitamin C (Min)
Biotin (Min) 2.4 mg/lb
Thiamine (Min)
Riboflavin (Min)
Omega 6 Fatty Acids (Min)
Omega 3 Fatty Acids (Min0
Saccharomyces cerevisiae (Min.)
Direct-Fed Microorganisms (Min.) 520 million CFU/lb
Cellulase (Aspergillus Oryzae) (Min)
Protease (Aspergillus Oryzae) (Min)
Lipase (Aspergillus Oryzae) (Min)
Hemicellulase (Aspergillus Niger) (Min) 10.8 Enzyme Units
Phytase (Trichoderma reesei) (Min)
NSC (non-structural carbohydrates = sugar + starch) (Max) 12.50%

*(Saccharomyces cerevisiae, Lactobacillus acidophilus, Bacillus subtilus, Bacillus linchenformis, Bacillus coagulans, Enterococcus faecium, Bifidobacterium thermophilum, and Bifidobacterium longum)

This feed contains a dry source of cellulase that breaks down cellulose, a dry source of protease that hydrolyzes proteins and increases the digestibility of protein in soybean meal-based diets, a dry source of lipase that hydrolyzes triglycerides, a dry source of hemicellulase that breaks down hemicellulose, and a dry source of phytase which hydrolyzes phytate and increases the digestibility of phytin-bound phosphorous.

INGREDIENTS:

Dehulled Soybean Meal, Ground Extruded Whole Soybeans, Dehydrated Alfalfa Meal, Wheat Middlings, Flaxseed, Dried Whey, Cane Molasses, Monocalcium Phosphate, Dicalcium Phosphate, Calcium Carbonate, Soybean Oil, Lignin Sulfonate, Magnesium Oxide, L-Lysine, Methionine Hydroxy Analogue, L-Threonine, Salt, Potassium Sulfate, Magnesium Sulfate, Potassium Chioride, Vitamin A Supplement, Vitamin E Supplement, Vitamin D Supplement, Biotin, Beta-Carotene, Folic Acid, Vitamin B-12 Supplement, Pantothenic Acid, Niacin, Thiamine Mononitrate, Pyridoxine Hydrochloride, Calcium Pantothenate, Menadione Sodium Bisulfite Complex (Source of Vitamin K), Riboflavin, Esters of L-Ascorbic Acid, Choline Chloride, Zine Sulfate, Ferrous Sulfate, Manganese Sulfate, Copper Sulfate, Ethylenediamine Dihydriodide, Cobalt Sulfate, Sodium Selenite, Selenium Yeast, Zine Amino Acid Complex, Cobalt Sulfate, Sodium Selenite, Selenium Yeast, Zine Amino Acid Complex, Chalcium Citrate, Active Dry Yeast, Yeast Culture, Hydrated Sodium Calcium Aluminosilicate, Brewers Dried Yeast, Dried Lactobacillus Acidophilus Fermentation Product, Dried Aspergillus Oryzae Fermentation Extract, Vicca Schidigera Extract, Dried Bacillus lichenformis Fermentation Product, Dried Bacillus sougulans Fermentation Product, Dried Bifidobacterium longum Fermentation Product, Dried Trichoderma resesi Extract, Diraceous Earth, Bentonite, Sodium Bentonite, Propionic Acid, Dried Lactobacillus acidophilus Fermentation Product, Dried Lactobacillus casei Fermentation Product, Dried Enterococcus faccium Fermentation Product, Dried Bacillus casei Fermentation Product, Dried Enterococcus faccium Fermentation Product, Dried Bacidobacterium Hermophilum Fermentation Product, Dried Bacidobacterium Hermophilum Fermentation Product, Dried Enterococcus faccium Fermentation Product, Dried Bacidobacterium Hermophilum Fermentation P

coagulans, Enterococcus faecium, Bifidobacterium thermophilum, and Bifidobacterium longum)
*An Enzyme Unit is defined as milligrams of substrate liberated/minute/lb. of feed.

^{*}A Phytase Unit (FTU) is defined as the quantity of enzyme which liberates one micromole of inorganic phosphate per minute from sodium phytate at 37°C, 5.5 pH.