

# West Nile Innovator®

Zoetis

West Nile Virus Vaccine  
Killed Virus

**INDICATIONS:** For intramuscular vaccination of healthy horses 10 months of age or older as an aid in the prevention of viremia caused by West Nile Virus.

**EFFICACY:** Efficacy was demonstrated in 10-month-old horses that received two doses of the vaccine and were challenged one year post-vaccination with West Nile Virus. The vaccine protected 95% of the vaccinates against viremia, while 82% of the controls were viremic.

**SAFETY:** Field safety testing has demonstrated that this product is safe for use in horses 3 months of age or older. Efficacy has not been established in foals 3 months of age.

**DOSE:** Inject one 1 mL dose intramuscularly using aseptic technique. Administer a second 1 mL dose 3 to 6 weeks after the first dose. Revaccinate annually with one 1 mL dose.

**CAUTION:** Store in the dark at 2° to 7°C (35° to 45°F). AVOID FREEZING. SHAKE WELL. Use entire contents when first opened. In some instances, transient local reactions may occur at the injection site. Do not vaccinate within 21 days before slaughter. In case of anaphylactoid reaction, administer epinephrine.

Thimerosal, neomycin and polymyxin B added as preservatives.

For Veterinary Use Only

U.S. Vet. License No. 190  
Zoetis Inc., Kalamazoo, MI 49007, USA

|       |          |          |
|-------|----------|----------|
| 1 mL  | 1 Dose   | 50024500 |
| 10 mL | 10 Doses | 50024200 |

CPN: 3690342.4