



A	Measurement of the 'narrowest' point of the twist from seam to seam.
B	Length from the stirrup bar, straight down to the base of the flap.
C	Length from the stirrup bar measurement (B) to the most forward part of the flap.
D	Measurement of the widest part of the panel.
E	Measurement of the total inside length of the panel from seam to seam.
F	Measurement of the most central point of the channel.



ALL PURPOSE SADDLES

Model	Size	A	B	C	D	E	F
Wintec Pro All Purpose	43 cm	5.1 cm	40 cm	17.2 cm	14 cm	49.5 cm	8.3 cm
Wintec 2000 All Purpose	43 cm	5.1 cm	40 cm	17.2 cm	14 cm	49.5 cm	8.3 cm
Wintec 2000 Pony All Purpose	40 cm	4.5 cm	34.9 cm	15.2 cm	12.7 cm	44.5 cm	7 cm
Wintec 500 All Purpose	43 cm	5.1 cm	40 cm	17.2 cm	14 cm	49.5 cm	8.3 cm
Wintec 500 WIDE All Purpose	43 cm	4.5 cm	40 cm	16.5 cm	14.6 cm	48.3 cm	7.6 cm
Wintec 500 Pony All Purpose	40 cm	4.5 cm	34.9 cm	15.2 cm	12.7 cm	44.5 cm	7 cm
Wintec 250 All Purpose	43 cm	3.2 cm	39.4 cm	15.2 cm	14 cm	49.5 cm	7 cm
Wintec Kids	N/A	N/A	24.1 cm	10.2 cm	10.2 cm	38.1 cm	7 cm
WintecLite All Purpose	43 cm	5.1 cm	38.1 cm	19.1 cm	15.2 cm	49.5 cm	5.1 cm
WintecLite All Purpose D'Lux	43 cm	5.1 cm	38.1 cm	19.1 cm	15.2 cm	49.5 cm	5.1 cm
WintecLite Pony All Purpose	40 cm	3.8 cm	34.3 cm	14 cm	14 cm	45.7 cm	7 cm
WintecLite Pony All Purpose D'Lux	40 cm	3.8 cm	34.3 cm	14 cm	14 cm	45.7 cm	7 cm

NB: All measurements are approximate and may vary by size and included options. These should be used as a guide only.

TIME TO RIDE. TIME TO ENJOY.

DRESSAGE SADDLES

Model	Size	A	B	C	D	E	F
Wintec Isabell	43 cm	3.8 cm	43.8 cm	15.2 cm	15.2 cm	48.9 cm	7.6 cm
Wintec Pro Dressage	43 cm	5.1 cm	41.3 cm	14.6 cm	15.2 cm	48.3 cm	7.6 cm
Wintec Pro Dressage with Contourbloc®	43 cm	5.1 cm	41.3 cm	3.8 cm*	15.2 cm	48.3 cm	7.6 cm
Wintec Pro Pony Dressage	40 cm	4.4 cm	34.3 cm	11.4 cm	12.7 cm	44.5 cm	7 cm
Wintec 500 Dressage	43 cm	5.1 cm	41.9 cm	14 cm	15.2 cm	48.3 cm	7.6 cm
Wintec 500 WIDE Dressage	43 cm	4.4 cm	43.2 cm	13.3 cm	14 cm	47 cm	6.4 cm
Wintec 500 Pony Dressage	40 cm	4.4 cm	35.6 cm	12.7 cm	12.7 cm	44.5 cm	5.7 cm
Wintec 250 Dressage	43 cm	3.2 cm	44.5 cm	14 cm	13.3 cm	48.3 cm	7 cm

*Measured to seam of Contourbloc®

NB: All measurements are approximate and may vary by size and included options. These should be used as a guide only.

JUMP SADDLES

Model	Size	A	B	C	D	E	F
Wintec Pro Jump	43 cm	5.1 cm	36.2 cm	18.4 cm	14.6 cm	49.5 cm	6.4 cm
Wintec 500 Jump	43 cm	5.1 cm	36.2 cm	18.4 cm	14.6 cm	49.5 cm	6.4 cm
Wintec Pro Close Contact	43 cm	5.1 cm	36.2 cm	18.4 cm	14.6 cm	49.5 cm	6.4 cm
Wintec 500 Close Contact	43 cm	5.1 cm	36.2 cm	18.4 cm	14.6 cm	49.5 cm	6.4 cm

OTHER SADDLES

Model	Size	A	B	C	D	E	F
Wintec Pro Stock	Med	3.8 cm	48.3 cm	12.7 cm	17.1 cm	54.6 cm	7.6 cm
Wintec Pro Stock with Swinging Fender (longest hole)	Med	3.8 cm	88.9 cm	N/A	17.1 cm	54.6 cm	7.6 cm
Wintec Pro Stock with Swinging Fender (shortest hole)	Med	3.8 cm	73.6 cm	N/A	17.1 cm	54.6 cm	7.6 cm
Wintec Pro Stock with Short Swinging Fender (longest hole)**	Med	3.8 cm	83.8 cm	N/A	17.1 cm	54.6 cm	7.6 cm
Wintec Pro Stock with Short Swinging Fender (shortest hole)**	Med	3.8 cm	68.6 cm	N/A	17.1 cm	54.6 cm	7.6 cm
Wintec Pro Endurance	43 cm	5.1 cm	40.6 cm	15.2 cm	14.6 cm	49.5 cm	7.6 cm
Wintec 500 Icelandic	44 cm	3.8 cm	43.2 cm	15.2 cm	14 cm	53.3 cm	6.4 cm
Wintec Full Tree Exercise Saddle with Cair	One size	N/A	24.1 cm	21.6 cm	11.4 cm	53.3 cm	4.4 cm

** Measure fender from stirrup bar to tread on Oxbow

NB: All measurements are approximate and may vary by size and included options. These should be used as a guide only.